



### F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



### F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



### KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature		Finish	List Price
-------------	------------	-------------	--	--------	------------

#### MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511

CM15172199	30CCP1	155°F	68°C	W/O	\$ 60.53
------------	--------	-------	------	-----	----------

#### MODEL CCP CONICAL CONCEALED COVERPLATES

6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 65.90
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90

#### MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511

CV151121S9	30BN	155°F	68°C	Brass	\$ 66.85
CV152121S9	30CN	155°F	68°C	Chrome	\$ 67.35
CV158721S9	30WN	155°F	68°C	Poly White	\$ 67.35
CV171121S9	30B5N	175°F	79°C	Brass	\$ 66.85
CV172121S9	30C5N	175°F	79°C	Chrome	\$ 67.35
CV178721S9	30W5N	175°F	79°C	White	\$ 67.35

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 370.47
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 122.53

#### MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591

MV161121R9	KRES301B	165°F	74°C	Brass	\$ 66.85
MV162121R9	KRES301C	165°F	74°C	Chrome	\$ 67.35
MV168721R9	KRES301W	165°F	74°C	Poly White	\$ 67.35
MV211121R9	KRES302B	212°F	100°C	Brass	\$ 66.85
MV212121R9	KRES302C	212°F	100°C	Chrome	\$ 67.35
MV218721R9	KRES302W	212°F	100°C	Poly White	\$ 67.35

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 122.53
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			\$ 370.47
6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 370.47

#### MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY

6800830000	GF2B	1/2" (15mm)	Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)	Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)	White	\$ 12.35



### F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135



### KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3596**
- See Bulletin 935
- Link Version



### F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CV151128S9	49BN	155°F	68°C	Brass	\$ 66.85
CV152128S9	49CN	155°F	68°C	Chrome	\$ 67.35
CV158728S9	49WN	155°F	68°C	White	\$ 67.35
CV171128S9	49B5N	175°F	79°C	Brass	\$ 66.85
CV172128S9	49C5N	175°F	79°C	Chrome	\$ 67.35
CV178728S9	49W5N	175°F	79°C	White	\$ 67.35

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 370.47
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 122.53

<b>MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK</b>					
MV161128R9	KRES491B	165°F	74°C	Brass	\$ 66.85
MV162128R9	KRES491C	165°F	74°C	Chrome	\$ 67.35
MV168728R9	KRES491W	165°F	74°C	Poly White	\$ 67.35
MV211128R9	KRES492B	212°F	100°C	Brass	\$ 66.85
MV212128R9	KRES492C	212°F	100°C	Chrome	\$ 67.35
MV218728R9	KRES492W	212°F	100°C	Poly White	\$ 67.35

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 370.47
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 122.53
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			\$ 370.47

<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off		White	\$ 23.82

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CM151728S9	49CCP1N	155°F	68°C	W/O	\$ 60.53

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$ 370.47
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 122.53

<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 65.90
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90




**F1RES 44 HSW & REC HSW**

- See Bulletins 135



**KRES44 HSW & REC HSW**

- See Bulletins 935
- **SIN RA3591**
- Link version



**F1RES 44 SWC**

- See Bulletins 135

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531</b>					
CV521125S9	44BN	155°F	68°C	Brass	\$ 68.95
CV522125S9	44CN	155°F	68°C	Chrome	\$ 69.00
CV528725S9	44WN	155°F	68°C	White	\$ 69.00
CV531125S9	44B5N	175°F	79°C	Brass	\$ 68.95
CV532125S9	44C5N	175°F	79°C	Chrome	\$ 69.00
CV538725S9	44W5N	175°F	79°C	Poly White	\$ 69.00

6880100120	WW4	WRENCH, W4, RECESSED, CONCEALED			\$ 370.47
6880050100	WW2	WRENCH, W2 (PENDENT, UPRIGHT, HSW)			\$ 122.53

<b>MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591</b>					
MV521125R9	KRES441B	165°F	74°C	Brass	\$ 68.95
MV522125R9	KRES441C	165°F	74°C	Chrome	\$ 69.00
MV528725R9	KRES441W	165°F	74°C	Poly White	\$ 69.00

6880100120	WW4	WRENCH, W4, RECESSED, CONCEALED			\$ 370.47
6880050100	WW2	WRENCH, W2 (PENDENT, UPRIGHT, HSW)			\$ 122.53
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)			\$ 370.47

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off		White	\$ 23.82

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531</b>					
CM521725S9	SWC44N	155°F	68°C	W/O	\$ 68.26
CM531725S9	SWC445N	175°F	79°C	W/O	\$ 68.26
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC</b>					
6887131318	CHWNS	135°F	57°C	White	\$ 40.94
6887131390	CHSPNS	135°F	57°C	Specialty	\$ 61.39
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2</b>					
6887251318	SWC2W	135°F	57°C	Flat White	\$ 40.94



### F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513</b>					
CM15173199	58CCP1	155°F	68°C	W/O	\$ 60.53
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 65.90
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED \$ 370.47



### F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533</b>					
CV521131S9	58H1BN	155°F	68°C	Brass	\$ 68.95
CV522131S9	58H1CN	155°F	68°C	Chrome	\$ 69.00
CV528731S9	58H1WN	155°F	68°C	White	\$ 69.00
CV531131S9	58H5BN	175°F	79°C	Brass	\$ 68.95
CV532131S9	58H5CN	175°F	79°C	Chrome	\$ 69.00
CV538731S9	58H5WN	175°F	79°C	White	\$ 69.00
<b>MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK</b>					
MV521131R9	KRES58H1B	165°F	74°C	Brass	\$ 68.95
MV522131R9	KRES58H1C	165°F	74°C	Chrome	\$ 69.00
MV528731R9	KRES58H1W	165°F	74°C	Poly White	\$ 69.00



### KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513</b>					
CV151131S9	58P1BN	155°F	68°C	Brass	\$ 66.85
CV152131S9	58P1CN	155°F	68°C	Chrome	\$ 67.35
CV158731S9	58P1WN	155°F	68°C	White	\$ 67.35
CV17113199	58P5B	175°F	79°C	Brass	\$ 66.85
CV17213199	58P5C	175°F	79°C	Chrome	\$ 67.35
CV178731S9	58P5WN	175°F	79°C	White	\$ 67.35
<b>MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK</b>					
MV161131R9	KRES58P1B	165°F	74°C	Brass	\$ 66.85
MV162131R9	KRES58P1C	165°F	74°C	Chrome	\$ 67.35
MV168731R9	KRES58P1W	165°F	74°C	Poly White	\$ 67.35
MV211131R9	KRES58P2B	212°F	100°C	Brass	\$ 66.85
MV212131R9	KRES58P2C	212°F	100°C	Chrome	\$ 67.35
MV218731R9	KRES58P2W	212°F	100°C	Poly White	\$ 67.35



### F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)	Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)	White	\$ 12.35
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>				
6801412100	FPC	Push-On Thread Off	Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off	White	\$ 23.82

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) \$ 122.53  
 6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED \$ 370.47  
 6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) \$ 370.47



### F1RES 58 HSX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



### KRES 58 HSX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533</b>					
CV621131S9	58H1BXN	155°F	68°C	Brass	\$ 89.29
CV622131S9	58H1CXN	155°F	68°C	Chrome	\$ 97.54
CV628731S9	58H1WXN	155°F	68°C	Poly White	\$ 97.54
CV63113199	58H5BX	175°F	79°C	Brass	\$ 89.29
CV632131S9	58H5CXN	175°F	79°C	Chrome	\$ 97.54
CV638731S9	58H5WXN	175°F	79°C	Poly White	\$ 97.54
<b>MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593</b>					
MV62113199	K58H1BX	165°F	74°C	Brass	\$ 89.29
MV62213199	K58H1CX	165°F	74°C	Chrome	\$ 97.54
MV62873199	K58H1WX	165°F	74°C	Poly White	\$ 97.54
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
<b>MODEL FV RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801720600	FVB	1/2" (15mm)		Brass	\$ 21.63
6801722100	FVC	1/2" (15mm)		Chrome	\$ 14.41
6801728700	FVW	1/2" (15mm)		Poly White	\$ 14.41

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW			\$ 370.47

\* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft<sup>2</sup> over the listed coverage areas



### F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



### F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618</b>					
CV15113298	76P1B	155°F	68°C	Brass	\$ 68.01
CV15213298	76P1C	155°F	68°C	Chrome	\$ 72.28
CV15873298	76P1W	155°F	68°C	White	\$ 72.28
CV17113298	76P5B	175°F	79°C	Brass	\$ 68.01
CV17213298	76P5C	175°F	79°C	Chrome	\$ 72.28
CV17873298	76P5W	175°F	79°C	White	\$ 72.28
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801030000	GF1LB	3/4"Adjustment		Brass	\$ 22.89
6801000000	GF1LC	3/4"Adjustment		Chrome	\$ 12.35
6801040000	GF1LW	3/4"Adjustment		White	\$ 12.35
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	1/2"Adjustment		Brass	\$ 22.89
6800880001	GF2LC	1/2"Adjustment		Chrome	\$ 12.35
6800880005	GF2LW	1/2"Adjustment		White	\$ 12.35
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801402100	FPLC	Push-On Thread Off		Chrome	\$ 23.82
6801407200	FPLW	Push-On Thread Off		White	\$ 23.82

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47
6880100100	WW1	Wrench, W1, Recessed, Pendant, CCP & HSW			\$ 370.47

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618</b>					
CM15173298	76CCP1	155°F	68°C	W/O	\$ 85.03
CM17173298	76CCP5	175°F	79°C	W/O	\$ 85.03
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24

6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47
------------	-----	---------------------------------	--	--	-----------

**Notes:**

Sprinkler and coverplates sold and packaged separately



**RFC Series  
Residential  
Sprinklers Flat Cover  
Plate, Concealed  
Pendent Sprinklers**



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611</b>					
1816172197	RFC30	165°F	74°C	W/O	\$ 86.36
1821172197	RFC302	212°F	100°C	W/O	\$ 86.36
<b>MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612</b>					
1816172597	RFC43	165°F	74°C	W/O	\$ 86.36
1821172597	RFC432	212°F	100°C	W/O	\$ 86.36
<b>MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616</b>					
1816172697	RFC49	165°F	74°C	W/O	\$ 86.36
1821172697	RFC492	212°F	100°C	W/O	\$ 86.36
<b>MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613</b>					
1816172997	RFC581	165°F	74°C	W/O	\$ 86.36
1821172997	RFC582	212°F	100°C	W/O	\$ 86.36
<b>MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618</b>					
1816173198	RFC761	165°F	74°C	W/O	\$ 136.00
1821173198	RFC762	212°F	100°C	W/O	\$ 136.00

### RFC30

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

6880170020	WFC	WRENCH,FC,CONCEALED		\$ 372.45
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP		\$ 372.45
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH		\$ 230.95

### RFC43

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

### RFC49

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

### RFC58

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

### RFC76

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	\$ 47.52
6887271372	CG50W	135°F	57°C	White	\$ 43.31
6887271311	CG50B	135°F	57°C	Finished Bronze	\$ 59.54
6887271374	CG50OW	135°F	57°C	Off-White	\$ 58.91
6887271390	CG50SP	135°F	57°C	Specialty	\$ 59.06
6887271316	CG50FB	135°F	57°C	Black Painted	\$ 58.98
6887271305	CG50BB	135°F	57°C	Bright Brass	\$ 72.07
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$ 72.07
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$ 72.07
6887271621	CG51C	165°F	74°C	Chrome	\$ 47.52
6887271672	CG51W	165°F	74°C	White	\$ 43.31
6887271611	CG51B	165°F	74°C	Finished Bronze	\$ 59.54
6887271674	CG51OW	165°F	74°C	Off-White	\$ 58.91
6887271690	CG51SP	165°F	74°C	Specialty	\$ 59.06
6887271616	CG51FB	165°F	74°C	Black Painted	\$ 58.98
6887271605	CG51BB	165°F	74°C	Bright Brass	\$ 72.07
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$ 72.07
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$ 72.07



### RFC49plus

- K-Factor = 4.9 (70)
- SIN R401 and R402 (Low Lead)
- See Bulletin 188

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R401</b>					
1816172799	RFC491P	165°F	74°C	W/O	\$ 100.00
1821172799	RFC492P	212°F	100°C	W/O	\$ 100.00
<b>MODEL RFC49 PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS 1/2" R401</b>					
1816172792	RFC491M	165°F	74°C	W/O	\$ 100.00
1821172792	RFC492PM	212°F	100°C	W/O	\$ 100.00
<b>MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) THREADS 1/2" R402</b>					
18161727P9	RFC491PLL	165°F	74°C	W/O	\$ 150.00
18211727P9	RFC492PLL	212°F	100°C	W/O	\$ 150.00
<b>MODEL RFC49LL PLUS FLAT CONCEALED K4.9 (70) BSPT THREADS R402</b>					
18161727P2		165°F	74°C	W/O	\$ 150.00
18211727P2		212°F	100°C	W/O	\$ 150.00
<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	\$ 47.52
6887271621	CG51C	165°F	74°C	Chrome	\$ 47.52
6887271372	CG50W	135°F	57°C	White	\$ 43.31
6887271672	CG51W	165°F	74°C	White	\$ 43.31

6880105000	W10	WRENCH,W10,WITH PROTECTIVE CAP,RFC49+	\$ 372.45
6880107000	W11	WRENCH,W11,PLASTIC,RFC49+	\$ 230.95





**RFS42 Residential  
 Flat Plate  
 Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835</b>					
2216172499	RFS42	165°F	74°C	W/O	\$ 172.44
6880101010	WG6	WRENCH,G6 HSW SOCKET			\$ 369.03
<b>MODEL RFS42 COVERPLATES</b>					
6887231311	CRFS0B	135°F	57°C	Finished Bronze	\$ 60.41
6887231321	CRFS0C	135°F	57°C	Chrome	\$ 60.39
6887231372	CRFS0W	135°F	57°C	White	\$ 60.39

**Notes:**

Sprinklers and coverplates sold and packaged separately

**NEW**



## F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231</b>			
HP[TEMP]11[DIM]	2" to 5-3/4"	Brass	\$ 461.29
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	\$ 461.29
HP[TEMP]08[DIM]	2" to 5-3/4"	White	\$ 461.29
HP[TEMP]11[DIM]	6" to 8-3/4"	Brass	\$ 475.71
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	\$ 475.71
HP[TEMP]08[DIM]	6" to 8-3/4"	White	\$ 475.71
HP[TEMP]11[DIM]	9" to 11-3/4"	Brass	\$ 490.11
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	\$ 490.11
HP[TEMP]08[DIM]	9" to 11-3/4"	White	\$ 490.11
HP[TEMP]11[DIM]	12" to 14-3/4"	Brass	\$ 504.53
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	\$ 504.53
HP[TEMP]08[DIM]	12" to 14-3/4"	White	\$ 504.53
HP[TEMP]11[DIM]	15" to 17-3/4"	Brass	\$ 518.94
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	\$ 518.94
HP[TEMP]08[DIM]	15" to 17-3/4"	White	\$ 518.94
HP[TEMP]11[DIM]	18" to 20-3/4"	Brass	\$ 533.37
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	\$ 533.37
HP[TEMP]08[DIM]	18" to 20-3/4"	White	\$ 533.37
HP[TEMP]11[DIM]	21" to 24"	Brass	\$ 547.77
HP[TEMP]21[DIM]	21" to 24"	Chrome	\$ 547.77
HP[TEMP]08[DIM]	21" to 24"	White	\$ 547.77
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Brass	\$ 461.29
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	\$ 461.27
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	\$ 461.29
HP5[TEMP]11[DIM]	6" to 8-3/4"	Brass	\$ 475.70
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	\$ 475.71
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	\$ 475.71
HP5[TEMP]11[DIM]	9" to 11-3/4"	Brass	\$ 490.11
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	\$ 490.11
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	\$ 490.11
HP5[TEMP]11[DIM]	12" to 14-3/4"	Brass	\$ 504.54
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	\$ 504.53
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	\$ 504.54
HP5[TEMP]11[DIM]	15" to 17-3/4"	Brass	\$ 518.95
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	\$ 518.95
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	\$ 518.95
HP5[TEMP]11[DIM]	18" to 20-3/4"	Brass	\$ 533.37
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	\$ 533.37
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	\$ 533.37
HP5[TEMP]11[DIM]	21" to 24"	Brass	\$ 547.77
HP5[TEMP]21[DIM]	21" to 24"	Chrome	\$ 547.77
HP5[TEMP]08[DIM]	21" to 24"	White	\$ 547.77

6880130001      WF3R      Requires Model F3R Wrench      \$      196.04

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F3RES44 DRY  
 RECESSED HSW /  
 F2**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING  
 INCLUDES F2  
 ESCUTCHEON**

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231</b>			
HR[TEMP]11[DIM]	2" to 5-3/4"	Brass	\$ 420.81
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	\$ 414.70
HR[TEMP]08[DIM]	2" to 5-3/4"	White	\$ 414.70
HR[TEMP]11[DIM]	6" to 8-3/4"	Brass	\$ 449.64
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	\$ 443.52
HR[TEMP]08[DIM]	6" to 8-3/4"	White	\$ 443.52
HR[TEMP]11[DIM]	9" to 11-3/4"	Brass	\$ 466.92
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	\$ 460.82
HR[TEMP]08[DIM]	9" to 11-3/4"	White	\$ 460.82
HR[TEMP]11[DIM]	12" to 14-3/4"	Brass	\$ 484.22
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	\$ 478.13
HR[TEMP]08[DIM]	12" to 14-3/4"	White	\$ 478.13
HR[TEMP]11[DIM]	15" to 17-3/4"	Brass	\$ 504.41
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	\$ 498.31
HR[TEMP]08[DIM]	15" to 17-3/4"	White	\$ 498.31
HR[TEMP]11[DIM]	18" to 20-3/4"	Brass	\$ 521.70
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	\$ 515.60
HR[TEMP]08[DIM]	18" to 20-3/4"	White	\$ 515.60
HR[TEMP]11[DIM]	21" to 24"	Brass	\$ 539.00
HR[TEMP]21[DIM]	21" to 24"	Chrome	\$ 532.90
HR[TEMP]08[DIM]	21" to 24"	White	\$ 532.90
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Brass	\$ 420.81
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	\$ 403.62
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	\$ 414.70
HR5[TEMP]11[DIM]	6" to 8-3/4"	Brass	\$ 449.64
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	\$ 443.52
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	\$ 432.44
HR5[TEMP]11[DIM]	9" to 11-3/4"	Brass	\$ 466.92
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	\$ 449.75
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	\$ 449.75
HR5[TEMP]11[DIM]	12" to 14-3/4"	Brass	\$ 484.22
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	\$ 478.13
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	\$ 467.04
HR5[TEMP]11[DIM]	15" to 17-3/4"	Brass	\$ 504.41
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	\$ 487.22
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	\$ 487.22
HR5[TEMP]11[DIM]	18" to 20-3/4"	Brass	\$ 521.70
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	\$ 504.54
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	\$ 504.54
HR5[TEMP]11[DIM]	21" to 24"	Brass	\$ 539.00
HR5[TEMP]21[DIM]	21" to 24"	Chrome	\$ 521.83
HR5[TEMP]08[DIM]	21" to 24"	White	\$ 521.83

6880070100      WXLO      Requires Model XLO2 Wrench      \$ 194.59



**F3RES44 DRY HSW / HB**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231</b>			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	\$ 418.04
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	\$ 418.04
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	\$ 438.21
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	\$ 438.21
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	\$ 455.52
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	\$ 455.52
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	\$ 472.81
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	\$ 472.81
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	\$ 490.11
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	\$ 490.11
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	\$ 507.41
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	\$ 507.41
HQ[TEMP]21[DIM]	21" to 24"	Chrome	\$ 524.70
HQ[TEMP]08[DIM]	21" to 24"	White	\$ 524.70
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	\$ 418.04
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	\$ 418.04
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	\$ 438.21
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	\$ 438.21
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	\$ 455.52
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	\$ 455.51
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	\$ 472.81
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	\$ 472.81
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	\$ 490.11
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	\$ 490.11
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	\$ 507.41
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	\$ 507.41
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	\$ 524.70
HQ5[TEMP]08[DIM]	21" to 24"	White	\$ 524.70
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	\$ 1.87
6999994881	SKIRTW	White	\$ 1.93

6880130001      WF3R      Requires Model F3R Wrench      \$      196.04

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F1RES 30 LL  
 Pendant &  
 Recessed Pendant**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



**F1RES 30 LL CCP**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CV151121P9	30BLL	155°F	68°C	Brass Low Lead	\$ 105.14
CV152121P9	30CLL	155°F	68°C	Chrome	\$ 112.12
CV158721P9	30WLL	155°F	68°C	Poly White Low Lead	\$ 112.12
CV171121P9	30B5LL	175°F	79°C	Brass Low Lead	\$ 105.14
CV172121P9	30C5LL	175°F	79°C	Chrome	\$ 112.12
CV178721P9	30W5LL	175°F	79°C	Poly White Low Lead	\$ 112.12
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off		White	\$ 23.82

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CM151721P9	30CCP1LL	155°F	68°C	Brass	\$ 112.12
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 65.90
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90

6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47
------------	-----	---------------------------------	--	--	-----------



**F1RES 49 LL  
 Pendant &  
 Recessed Pendant**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



**F1RES 49 LL CCP**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CV151128P9	49BLL	155°F	68°C	Brass Low Lead	\$ 105.14
CV152128P9	49CLL	155°F	68°C	Chrome Low Lead	\$ 112.12
CV158728P9	49WLL	155°F	68°C	Poly White Low Lead	\$ 112.12
CV171128P9	49B5LL	175°F	79°C	Brass Low Lead	\$ 105.14
CV172128P9	49C5LL	175°F	79°C	Chrome Low Lead	\$ 112.12
CV178728P9	49W5LL	175°F	79°C	Poly White Low Lead	\$ 112.12
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off		White	\$ 23.82

6880050100	WW2	Wrench, W2, Pendant, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CM151728P9	49CCP1LL	155°F	68°C	Brass	\$ 112.12
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 65.90
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90

6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47
------------	-----	---------------------------------	--	--	-----------



### F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



### F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331</b>					
CV521125P9	44BLL	155°F	68°C	Brass Low Lead	\$ 108.65
CV522125P9	44CLL	155°F	68°C	Chrome Low Lead	\$ 113.88
CV528725P9	44WLL	155°F	68°C	Poly White Low Lead	\$ 113.88
CV531125P9	44B5LL	175°F	79°C	Brass Low Lead	\$ 108.65
CV532125P9	44C5LL	175°F	79°C	Chrome Low Lead	\$ 113.88
CV538725P9	44W5LL	175°F	79°C	Poly White Low Lead	\$ 113.88
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off		White	\$ 23.82

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331</b>					
CM521725P9	SWC44LL	155°F	68°C	Brass	\$ 113.88
<b>MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT</b>					
6887131318	CHWNS	135°F	57°C	White	\$ 40.94
6887131390	CHSPNS	135°F	57°C	Specialty	\$ 61.39
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47



**F1RES 58 LL  
Pendent &  
Recessed Pendant**

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



**F1RES 58 LL CCP**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



**F1RES 58 LL HSW  
& REC HSW**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313</b>					
CV151131P9	58P1BLL	155°F	68°C	Brass Low Lead	\$ 105.14
CV152131P9	58P1CLL	155°F	68°C	Chrome Low Lead	\$ 112.12
CV158731P9	58P1WLL	155°F	68°C	Poly White Low Lead	\$ 112.12
CV171131P9	58P5BLL	175°F	79°C	Brass Low Lead	\$ 105.14
CV172131P9	58P5CLL	175°F	79°C	Chrome Low Lead	\$ 112.12
CV178731P9	58P5WLL	175°F	79°C	Poly White Low Lead	\$ 112.12
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off		White	\$ 23.82

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333</b>					
CM151731P9	58CCP1LL	155°F	68°C	Brass	\$ 112.12
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 100.69
6887161318	CCP0W76	135°F	57°C	Flat White	\$ 39.24
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 65.90
6887171321	CCP05C76	135°F	57°C	Chrome	\$ 100.69
6887171318	CCP05W76	135°F	57°C	White	\$ 39.24
6887171390	CCP05SP76	135°F	57°C	Specialty	\$ 65.90

6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47
------------	-----	---------------------------------	--	--	-----------

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333</b>					
CV521131P9	58H1BLL	155°F	68°C	Brass Low Lead	\$ 108.65
CV522131P9	58H1CLL	155°F	68°C	Chrome Low Lead	\$ 113.88
CV528731P9	58H1WLL	155°F	68°C	Poly White Low Lead	\$ 113.88
CV531131P9	58H5BLL	175°F	79°C	Brass Low Lead	\$ 108.65
CV532131P9	58H5CLL	175°F	79°C	Chrome Low Lead	\$ 113.88
CV538731P9	58H5WLL	175°F	79°C	Poly White Low Lead	\$ 113.88
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
6801412100	FPC	Push-On Thread Off		Chrome	\$ 23.82
6801417200	FPW	Push-On Thread Off		White	\$ 23.82

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47
6880100100	WW1	Wrench, W1, Recessed, Pendent, CCP & HSW			\$ 370.47





**RFC30 LL Flat Concealed**

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006


Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211</b>					
18161721P7	RFC30LL	165°F	74°C	Brass	\$ 131.42
<b>MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212</b>					
18161725P7	RFC43LL	165°F	74°C	Brass	\$ 131.42
<b>MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216</b>					
18161726P7	RFC49LL	165°F	74°C	Brass	\$ 131.42
18211726P7	RFC492LL	212°F	100°C	Brass	\$ 131.42
<b>REQUIRED COVERPLATES</b>					
6887271372	CG50W	135°F	57°C	White	\$ 43.31
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$ 72.07

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



**RFC43 LL Flat Concealed**

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



**RFC49 LL Flat Concealed**

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006