



F1-56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1325**
- See Bulletin 013



F1-80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6222**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1-56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1325					
AA131132S9	F56U0BN	135°F	57°C	Brass	\$ 30.23
AA132132S9	F56U0CN	135°F	57°C	Chrome	\$ 36.86
AA138732S9	F56U0WN	135°F	57°C	White	\$ 42.61
AA151132S9	F56U1BN	155°F	68°C	Brass	\$ 30.23
AA152132S9	F56U1CN	155°F	68°C	Chrome	\$ 36.86
AA158732S9	F56U1WN	155°F	68°C	Poly White	\$ 42.61
AA171132S9	F56U5BN	175°F	79°C	Brass	\$ 30.23
AA172132S9	F56U5CN	175°F	79°C	Chrome	\$ 36.86
AA178732S9	F56U5WN	175°F	79°C	White	\$ 42.61
AA201132S9	F56U2BN	200°F	93°C	Brass	\$ 30.23
AA202132S9	F56U2CN	200°F	93°C	Chrome	\$ 36.86
AA208732S9	F56U2WN	200°F	93°C	Poly White	\$ 42.61
AA281132S9	F56U3BN	286°F	141°C	Brass	\$ 30.23
AA282132S9	F56U3CN	286°F	141°C	Chrome	\$ 36.86
AA288732S9	F56U3WN	286°F	141°C	Poly White	\$ 42.61
AA361132S9	F56U6BN	360°F	182°C	Brass	\$ 34.00
AA362132S9	F56U6CN	360°F	182°C	Chrome	\$ 40.46
AA368732S9	F56U6WN	360°F	182°C	White	\$ 46.32
MODEL F1-80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6222					
A1131134S8	FU0LBN	135°F	57°C	Brass	\$ 37.19
A1132134S8	FU0LCN	135°F	57°C	Chrome	\$ 46.19
A1138734S8	FU0LWN	135°F	57°C	Poly White	\$ 53.69
A1151134S8	FU1LBN	155°F	68°C	Brass	\$ 37.19
A1152134S8	FU1LCN	155°F	68°C	Chrome	\$ 46.19
A1158734S8	FU1LWN	155°F	68°C	Poly White	\$ 53.69
A1171134S8	FU5LBN	175°F	79°C	Brass	\$ 37.19
A1172134S8	FU5LCN	175°F	79°C	Chrome	\$ 46.19
A1178734S8	FU5LWN	175°F	79°C	Poly White	\$ 53.69
A1201134S8	FU2LBN	200°F	93°C	Brass	\$ 37.19
A1202134S8	FU2LCN	200°F	93°C	Chrome	\$ 46.19
A1208734S8	FU2LWN	200°F	93°C	Poly White	\$ 53.69
A1281134S8	FU3LBN	286°F	141°C	Brass	\$ 37.19
A1282134S8	FU3LCN	286°F	141°C	Chrome	\$ 46.19
A1288734S8	FU3LWN	286°F	141°C	Poly White	\$ 53.69
A1361134S8	FU6LBN	360°F	182°C	Brass	\$ 37.19
A1362134S8	FU6LCN	360°F	182°C	Chrome	\$ 46.19
A1368734S8	FU6LWN	360°F	182°C	White	\$ 53.69

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW \$ 122.53



F1 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1321**
- See Bulletin 013



F1 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1323**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F128 UPRIGHT K 2.8 (40) THREADS 1/2" (15MM) RA1321					
AA151124S9	F28U1BN	155°F	68°C	Brass	\$ 44.50
AA152124R9	F28U1C	155°F	68°C	Chrome	\$ 52.40
AA158724R9	F28U1W	155°F	68°C	Poly White	\$ 56.31
AA171124R9	F28U5B	175°F	79°C	Brass	\$ 44.50
AA172124R9	F28U5C	175°F	79°C	Chrome	\$ 52.40
AA178724R9	F28U5W	175°F	79°C	Poly White	\$ 56.31
AA201124R9	F28U2B	200°F	93°C	Brass	\$ 44.50
AA202124R9	F28U2C	200°F	93°C	Chrome	\$ 52.40
AA208724R9	F28U2W	200°F	93°C	White	\$ 56.31
AA281124R9	F28U3B	286°F	141°C	Brass	\$ 44.50
AA282124R9	F28U3C	286°F	141°C	Chrome	\$ 52.40
AA288724R9	F28U3W	286°F	141°C	Poly White	\$ 56.31
MODEL F142 UPRIGHT K4.2 (60) THREADS 1/2" (15MM) RA1323					
AA131128R9	F42U0B	135°F	57°C	Brass	\$ 44.50
AA132128R9	F42U0C	135°F	57°C	Chrome	\$ 52.40
AA138728R9	F42U0W	135°F	57°C	White	\$ 56.31
AA151128R9	F42U1B	155°F	68°C	Brass	\$ 44.50
AA152128R9	F42U1C	155°F	68°C	Chrome	\$ 52.40
AA158728R9	F42U1W	155°F	68°C	Poly White	\$ 56.31
AA171128R9	F42U5B	175°F	79°C	Brass	\$ 44.50
AA172128R9	F42U5C	175°F	79°C	Chrome	\$ 52.40
AA178728R9	F42U5W	175°F	79°C	White	\$ 56.31
AA201128R9	F42U2B	200°F	93°C	Brass	\$ 44.50
AA202128R9	F42U2C	200°F	93°C	Chrome	\$ 52.40
AA208728R9	F42U2W	200°F	93°C	White	\$ 56.31
AA288728R9		286°F	141°C	White	\$ Call
AA282128R9	F42U3C	286°F	141°C	Chrome	\$ 52.40
AA288728R9	F42U3W	286°F	141°C	White	\$ 56.31
AA362128R9	F42U6C	360°F	182°C	Chrome	\$ 56.01
AA368728R9	F42U6W	360°F	182°C	White	\$ 60.31

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 122.53
------------	-----	-----------------------------------	-----------



F1-56SS PENDENT

- K-Factor = 5.6 (80)
- **SIN RA6414**
- See Bulletin 064
- Stainless Steel



F1-80SS PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6412**
- See Bulletin 064
- Stainless Steel

F1-56SS UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA6424**
- See Bulletin 064
- Stainless Steel

F1-80SS UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA6422**
- See Bulletin 064
- Stainless Steel

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6414					
A213103299	F56P0SS	135°F	57°C	Stainless Steel	\$ 648.63
A215103299	F56P1SS	155°F	68°C	Stainless Steel	\$ 648.63
A217103299	F56P5SS	175°F	79°C	Stainless Steel	\$ 648.63
A220103299	F56P2SS	200°F	93°C	Stainless Steel	\$ 648.63
A228103299	F56P3SS	286°F	141°C	Stainless Steel	\$ 648.63
A236103299	F56P6SS	360°F	182°C	Stainless Steel	\$ 648.63
A250103299	F56P7SS	500°F	260°C	Stainless Steel	\$ 648.63
MODEL F180-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6412					
A213103498	FP0LSS	135°F	57°C	Stainless Steel	\$ 684.65
A215103498	FP1LSS	155°F	68°C	Stainless Steel	\$ 684.65
A217103498	FP5LSS	175°F	79°C	Stainless Steel	\$ 684.65
A220103498	FP2LSS	200°F	93°C	Stainless Steel	\$ 684.65
A228103498	FP3LSS	286°F	141°C	Stainless Steel	\$ 684.65
A236103498	FP6LSS	360°F	182°C	Stainless Steel	\$ 684.65
MODEL F156-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6424					
AA131032R9	F56U0SS	135°F	57°C	Stainless Steel	\$ 648.63
AA151032R9	F56U1SS	155°F	68°C	Stainless Steel	\$ 648.63
AA171032R9	F56U5SS	175°F	79°C	Stainless Steel	\$ 648.63
AA201032R9	F56U2SS	200°F	93°C	Stainless Steel	\$ 648.63
AA281032R9	F56U3SS	286°F	141°C	Stainless Steel	\$ 648.63
AA361032R9	F56U6SS	360°F	182°C	Stainless Steel	\$ 648.63
AA501032R9	F56U7SS	500°F	260°C	Stainless Steel	\$ 648.63
MODEL F180-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6422					
A113103498	FU0LSS	135°F	57°C	Stainless Steel	\$ 684.65
A115103498	FU1LSS	155°F	68°C	Stainless Steel	\$ 684.65
A117103498	FU5LSS	175°F	79°C	Stainless Steel	\$ 684.65
A120103498	FU2LSS	200°F	93°C	Stainless Steel	\$ 684.65
A128103498	FU3LSS	286°F	141°C	Stainless Steel	\$ 684.65
A136103498	FU6LSS	360°F	182°C	Stainless Steel	\$ 684.65
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	\$ 72.74
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	\$ 72.74
MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	\$ 109.11
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	\$ 109.11
MODEL B ONE PIECE ESCUTCHEONS					
6800121002	BSS	1/2" (15mm)		Stainless Steel	\$ 43.66
6800091002	BLSS	3/4" (20mm)		Stainless Steel	\$ 43.66

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed		\$ 370.47



F156-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2525**
- See Bulletin 025
- 300 PSI



F1 LO-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN R5522**
- See Bulletin 155
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA2525 300PSI					
AF131132R9	F56U0B3	135°F	57°C	Brass	\$ 33.17
AF132132R9	F56U0C3	135°F	57°C	Chrome	\$ 40.18
AF138732R9	F56U0W3	135°F	57°C	White	\$ 45.78
AF151132S9	F56U1B3N	155°F	68°C	Brass	\$ 33.17
AF152132R9	F56U1C3	155°F	68°C	Chrome	\$ 40.18
AF158732R9	F56U1W3	155°F	68°C	Poly White	\$ 46.19
AF171132R9	F56U5B3	175°F	79°C	Brass	\$ 33.17
AF172132R9	F56U5C3	175°F	79°C	Chrome	\$ 40.18
AF178732R9	F56U5W3	175°F	79°C	Poly White	\$ 46.19
AF201132R9	F56U2B3	200°F	93°C	Brass	\$ 33.17
AF202132R9	F56U2C3	200°F	93°C	Chrome	\$ 40.18
AF208732R9	F56U2W3	200°F	93°C	Poly White	\$ 46.19
AF281132R9	F56U3B3	286°F	141°C	Brass	\$ 33.17
AF282132R9	F56U3C3	286°F	141°C	Chrome	\$ 40.18
AF288732R9	F56U3W3	286°F	141°C	Poly White	\$ 46.19
MODEL F1 LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R5522 300PSI					
AF13113498	FU0LB3	135°F	57°C	Brass	\$ 40.45
AF13213498	FU0LC3	135°F	57°C	Chrome	\$ 49.81
AF13873498	FU0LW3	135°F	57°C	White	\$ 56.10
AF15113498	FU1LB3	155°F	68°C	Brass	\$ 40.45
AF15213498	FU1LC3	155°F	68°C	Chrome	\$ 49.81
AF15873498	FU1LW3	155°F	68°C	Poly White	\$ 57.67
AF17113498	FU5LB3	175°F	79°C	Brass	\$ 40.45
AF17213498	FU5LC3	175°F	79°C	Chrome	\$ 49.81
AF17873498	FU5LW3	175°F	79°C	White	\$ 56.10
AF20113498	FU2LB3	200°F	93°C	Brass	\$ 40.45
AF20213498	FU2LC3	200°F	93°C	Chrome	\$ 49.81
AF20873498	FU2LW3	200°F	93°C	Poly White	\$ 57.67
AF28113498	FU3LB3	286°F	141°C	Brass	\$ 40.45
AF28213498	FU3LC3	286°F	141°C	Chrome	\$ 49.81
AF28873498	FU3LW3	286°F	141°C	White	\$ 56.10
AF36113498	FU6LB3	360°F	182°C	Brass	\$ 45.38
AF36213498	FU6LC3	360°F	182°C	Chrome	\$ 53.92
AF36873498	FU6LW3	360°F	182°C	White	\$ 60.19

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW \$ 122.53



F156

- K-Factor = 5.6 (80)
- **SIN RA1314**
- See Bulletin 013



F180

- K-Factor = 8.0 (115)
- **SIN RA6212**
- See Bulletin 062

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1314					
A2131132S9	F56P0BN	135°F	57°C	Brass	\$ 30.23
A2132132S9	F56P0CN	135°F	57°C	Chrome	\$ 35.79
A213873299	F56P0W	135°F	57°C	White	\$ 42.61
A2151132S9	F56P1BN	155°F	68°C	Brass	\$ 30.23
A2152132S9	F56P1CN	155°F	68°C	Chrome	\$ 35.79
A2158732S9	F56P1WN	155°F	68°C	Poly White	\$ 42.61
A2171132S9	F56P5BN	175°F	79°C	Brass	\$ 30.23
A2172132S9	F56P5CN	175°F	79°C	Chrome	\$ 35.79
A217873299	F56P5W	175°F	79°C	Poly White	\$ 42.61
A2201132S9	F56P2BN	200°F	93°C	Brass	\$ 30.23
A2202132S9	F56P2CN	200°F	93°C	Chrome	\$ 35.79
A2208732S9	F56P2WN	200°F	93°C	Poly White	\$ 42.61
A2281132S9	F56P3BN	286°F	141°C	Brass	\$ 30.23
A2282132S9	F56P3CN	286°F	141°C	Chrome	\$ 35.79
A2288732S9	F56P3WN	286°F	141°C	Poly White	\$ 42.61
A2361132S9	F56P6BN	360°F	182°C	Brass	\$ 34.00
A2362132S9	F56P6CN	360°F	182°C	Chrome	\$ 39.34
A2368732S9	F56P6WN	360°F	182°C	Poly White	\$ 46.32
MODEL F1 80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6212					
A2131134S8	FP0LBN	135°F	57°C	Brass	\$ 38.29
A2132134S8	FP0LCN	135°F	57°C	Chrome	\$ 46.19
A2138734S8	FP0LWN	135°F	57°C	White	\$ 53.69
A2151134S8	FP1LBN	155°F	68°C	Brass	\$ 38.29
A2152134S8	FP1LCN	155°F	68°C	Chrome	\$ 46.19
A2158734S8	FP1LWN	155°F	68°C	White	\$ 53.69
A2171134S8	FP5LBN	175°F	79°C	Brass	\$ 38.29
A2172134S8	FP5LCN	175°F	79°C	Chrome	\$ 46.19
A2178734S8	FP5LWN	175°F	79°C	White	\$ 53.69
A2201134S8	FP2LBN	200°F	93°C	Brass	\$ 38.29
A2202134S8	FP2LCN	200°F	93°C	Chrome	\$ 46.19
A2208734S8	FP2LWN	200°F	93°C	Poly White	\$ 53.69
A2281134S8	FP3LBN	286°F	141°C	Brass	\$ 38.29
A2282134S8	FP3LCN	286°F	141°C	Chrome	\$ 46.19
A2288734S8	FP3LWN	286°F	141°C	White	\$ 53.69
A2361134S8	FP6LBN	360°F	182°C	Brass	\$ 38.29
A2362134S8	FP6LCN	360°F	182°C	Chrome	\$ 46.19
A2368734S8	FP6LWN	360°F	182°C	White	\$ 53.69

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW \$ 122.53




F1 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1311**
- See Bulletin 013



F1 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1313**
- See Bulletin 013



Part Number	Short Code	Temperature		Finish	List Price
MODEL F128 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1311					
AB151124R9	F28P1B	155°F	68°C	Brass	\$ 44.50
AB152124R9	F28P1C	155°F	68°C	Chrome	\$ 52.40
AB158724R9	F28P1W	155°F	68°C	Poly White	\$ 56.31
AB172124R9	F28P5C	175°F	79°C	Chrome	\$ 52.40
AB178724R9	F28P5W	175°F	79°C	White	\$ 56.31
AB201124R9	F28P2B	200°F	93°C	Brass	\$ 44.50
AB202124R9	F28P2C	200°F	93°C	Chrome	\$ 52.40
AB208724R9	F28P2W	200°F	93°C	White	\$ 56.31
AB281124R9	F28P3B	286°F	141°C	Brass	\$ 44.50
AB282124R9	F28P3C	286°F	141°C	Chrome	\$ 52.40
AB288724R9	F28P3W	286°F	141°C	White	\$ 56.31
MODEL F142 PENDENT K4.2 (60) THREADS 1/2" (15MM) RA1313					
AB131128R9	F42P0B	135°F	57°C	Brass	\$ 44.50
AB132128R9	F42P0C	135°F	57°C	Chrome	\$ 52.40
AB138728R9	F42P0W	135°F	57°C	White	\$ 56.31
AB151128R9	F42P1B	155°F	68°C	Brass	\$ 44.50
AB152128R9	F42P1C	155°F	68°C	Chrome	\$ 52.40
AB171128R9	F42P5BN	175°F	79°C	Brass	\$ 44.50
AB172128R9	F42P5CN	175°F	79°C	Chrome	\$ 52.40
AB178728R9		175°F	79°C	White	\$ 56.31
AB201128R9	F42P2B	200°F	93°C	Brass	\$ 44.50
AB202128R9	F42P2C	200°F	93°C	Chrome	\$ 52.40
AB208728R9	F42P2W	200°F	93°C	Poly White	\$ 56.31
AB361128R9	F42P6B	360°F	182°C	Brass	\$ 48.07
AB362128R9	F42P6C	360°F	182°C	Chrome	\$ 56.01
AB368728R9	F42P6W	360°F	182°C	White	\$ 60.31
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Brass	\$ 22.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 12.35
6800840000	GF2W	1/2" (15mm)		White	\$ 12.35
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	\$ 23.82
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	\$ 23.82
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47



F156-300

- K-Factor = 5.6 (80)
- **SIN RA2514**
- See Bulletin 025
- **300 PSI**



F1-300

- K-Factor = 8.0 (115)
- **SIN R5512**
- See Bulletin 155
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2514 300 PSI					
AG131132R9	F56P0B3	135°F	57°C	Brass	\$ 33.17
AG132132R9	F56P0C3	135°F	57°C	Chrome	\$ 39.00
AG138732R9	F56P0W3	135°F	57°C	White	\$ 44.89
AG151132R9	F56P1B3	155°F	68°C	Brass	\$ 33.17
AG152132R9	F56P1C3	155°F	68°C	Chrome	\$ 39.00
AG158732R9	F56P1W3	155°F	68°C	Poly White	\$ 44.89
AG171132R9	F56P5B3	175°F	79°C	Brass	\$ 33.17
AG172132R9	F56P5C3	175°F	79°C	Chrome	\$ 39.00
AG178732R9	F56P5W3	175°F	79°C	Poly White	\$ 44.80
AG201132R9	F56P2B3	200°F	93°C	Brass	\$ 33.17
AG202132R9	F56P2C3	200°F	93°C	Chrome	\$ 39.00
AG208732R9	F56P2W3	200°F	93°C	Poly White	\$ 44.89
AG281132R9	F56P3B3	286°F	141°C	Brass	\$ 33.17
AG282132R9	F56P3C3	286°F	141°C	Chrome	\$ 39.00
AG288732R9	F56P3W3	286°F	141°C	Poly White	\$ 44.89
AG361132R9	F56P6B3	360°F	182°C	Brass	\$ 37.19
AG362132R9	F56P6C3	360°F	182°C	Chrome	\$ 42.58
AG368732R9	F56P6W3	360°F	182°C	White	\$ 48.50
MODEL F1 PENDENT K8.0 (115) THREADS 3/4" (20MM) R5512 300 PSI					
AG13113498	FP0LB3	135°F	57°C	Brass	\$ 41.69
AG13213498	FP0LC3	135°F	57°C	Chrome	\$ 49.81
AG13873498	FP0LW3	135°F	57°C	White	\$ 56.10
AG15113498	FP1LB3	155°F	68°C	Brass	\$ 41.69
AG15213498	FP1LC3	155°F	68°C	Chrome	\$ 49.81
AG15873498	FP1LW3	155°F	68°C	White	\$ 57.67
AG17113498	FP5LB3	175°F	79°C	Brass	\$ 41.69
AG17213498	FP5LC3	175°F	79°C	Chrome	\$ 49.81
AG17873498	FP5LW3	175°F	79°C	White	\$ 56.10
AG20113498	FP2LB3	200°F	93°C	Brass	\$ 41.69
AG20213498	FP2LC3	200°F	93°C	Chrome	\$ 49.81
AG20873498	FP2LW3	200°F	93°C	Poly White	\$ 57.67
AG28113498	FP3LB3	286°F	141°C	Brass	\$ 41.69
AG28213498	FP3LC3	286°F	141°C	Chrome	\$ 49.81
AG28873498	FP3LW3	286°F	141°C	White	\$ 57.67
AG36113498	FP6LB3	360°F	182°C	Brass	\$ 45.38
AG36213498	FP6LC3	360°F	182°C	Chrome	\$ 53.92
AG36873498	FP6LW3	360°F	182°C	White	\$ 60.19

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW \$ 122.53



F1 56

- K-Factor = 5.6 (80)
- **SIN RA1375**
- See Bulletin 013



F1 LO

- K-Factor = 8.0 (115)
- **SIN R1772**
- See Bulletin 117

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 CONVENTIONAL K 5.6 (80) THREADS 1/2" (15MM) RA1375					
AC131132R9	F56C0B	135°F	57°C	Brass	\$ 30.23
AC132132R9	F56C0C	135°F	57°C	Chrome	\$ 35.79
AC138732R9	F56C0W	135°F	57°C	Poly White	\$ 42.61
AC151132R9	F56C1B	155°F	68°C	Brass	\$ 30.23
AC152132R9	F56C1C	155°F	68°C	Chrome	\$ 35.79
AC158732R9	F56C1W	155°F	68°C	White	\$ 42.61
AC171132R9	F56C5B	175°F	79°C	Brass	\$ 30.23
AC172132R9	F56C5C	175°F	79°C	Chrome	\$ 35.79
AC178732R9	F56C5W	175°F	79°C	Poly White	\$ 42.61
AC201132R9	F56C2B	200°F	93°C	Brass	\$ 30.23
AC202132R9	F56C2C	200°F	93°C	Chrome	\$ 35.79
AC208732R9	F56C2W	200°F	93°C	Poly White	\$ 42.61
AC281132R9	F56C3B	286°F	141°C	Brass	\$ 30.23
AC282132R9	F56C3C	286°F	141°C	Chrome	\$ 35.79
AC288732R9	F56C3W	286°F	141°C	Poly White	\$ 42.61
AC361132R9	F56C6B	360°F	182°C	Brass	\$ 30.23
AC362132R9	F56C6C	360°F	182°C	Chrome	\$ 35.79
AC368732R9	F56C6W	360°F	182°C	Poly White	\$ 42.61
MODEL F1 LO CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) R1772					
A313113498	FC0LB	135°F	57°C	Brass	\$ 38.29
A313213498	FC0LC	135°F	57°C	Chrome	\$ 46.19
A313873498	FC0LW	135°F	57°C	White	\$ 53.69
A315113498	FC1LB	155°F	68°C	Brass	\$ 38.29
A315213498	FC1LC	155°F	68°C	Chrome	\$ 46.19
A315873498	FC1LW	155°F	68°C	White	\$ 53.69
A317113498	FC5LB	175°F	79°C	Brass	\$ 38.29
A317213498	FC5LC	175°F	79°C	Chrome	\$ 46.19
A320113498	FC2LB	200°F	93°C	Brass	\$ 38.29
A320213498	FC2LC	200°F	93°C	Chrome	\$ 46.19
A320873498	FC2LW	200°F	93°C	White	\$ 53.69
A328113498	FC3LB	286°F	141°C	Brass	\$ 38.29
A328213498	FC3LC	286°F	141°C	Chrome	\$ 46.19
A328873498	FC3LW	286°F	141°C	White	\$ 53.69

6880050100 WW2 Wrench, W2, Pendent, Upright, HSW \$ 122.53



F1 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1335**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1335					
AD131132S9	F56H0BS	135°F	57°C	Brass	\$ 47.01
AD132132R9	F56H0C	135°F	57°C	Chrome	\$ 53.85
AD138732R9	F56H0W	135°F	57°C	Poly White	\$ 57.81
AD151132S9	F56H1BN	155°F	68°C	Brass	\$ 47.01
AD152132S9	F56H1CN	155°F	68°C	Chrome	\$ 53.85
AD158732S9	F56H1WN	155°F	68°C	Poly White	\$ 57.81
AD171132S9	F56H5BN	175°F	79°C	Brass	\$ 47.01
AD172132S9	F56H5CN	175°F	79°C	Chrome	\$ 53.85
AD178732S9	F56H5WN	175°F	79°C	Poly White	\$ 57.81
AD201132S9	F56H2BN	200°F	93°C	Brass	\$ 47.01
AD202132S9	F56H2CN	200°F	93°C	Chrome	\$ 53.85
AD208732S9	F56H2WN	200°F	93°C	Poly White	\$ 57.81
AD281132S9	F56H3BN	286°F	141°C	Brass	\$ 47.01
AD282132S9	F56H3CN	286°F	141°C	Chrome	\$ 53.85
AD288732S9	F56H3WN	286°F	141°C	Poly White	\$ 57.81
AD361132S9	F56H6BN	360°F	182°C	Brass	\$ 47.01
AD362132S9	F56H6CN	360°F	182°C	Chrome	\$ 53.85
AD368732S9	F56H6WN	360°F	182°C	Poly White	\$ 57.81
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47



F1 56

- K-Factor = 5.6 (80)
- **SIN RA1385**
- See Bulletin 013

Part Number	Short Code	Temperature		Finish	List Price
MODEL F156 VERTICAL K5.6 (80) THREADS 1/2" (15MM) RA1385					
AE131132R9	F56V0B	135°F	57°C	Brass	\$ 47.01
AE132132R9	F56V0C	135°F	57°C	Chrome	\$ 53.85
AE138732R9	F56V0W	135°F	57°C	White	\$ 58.87
AE151132R9	F56V1B	155°F	68°C	Brass	\$ 47.01
AE152132R9	F56V1C	155°F	68°C	Chrome	\$ 53.85
AE158732R9	F56V1W	155°F	68°C	Poly White	\$ 58.87
AE171132R9	F56V5B	175°F	79°C	Brass	\$ 47.01
AE172132R9	F56V5C	175°F	79°C	Chrome	\$ 53.85
AE178732R9	F56V5W	175°F	79°C	Poly White	\$ 58.87
AE201132R9	F56V2B	200°F	93°C	Brass	\$ 47.01
AE202132R9	F56V2C	200°F	93°C	Chrome	\$ 53.85
AE208732R9	F56V2W	200°F	93°C	Poly White	\$ 58.87
AE281132R9	F56V3B	286°F	141°C	Brass	\$ 47.01
AE282132R9	F56V3C	286°F	141°C	Chrome	\$ 53.85
AE288732R9	F56V3W	286°F	141°C	Poly White	\$ 58.87
AE361132R9	F56V6B	360°F	182°C	Brass	\$ 47.04
AE362132R9	F56V6C	360°F	182°C	Chrome	\$ 53.85
AE368732R9	F56V6W	360°F	182°C	White	\$ 58.87

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 122.53
------------	-----	-----------------------------------	-----------



G UPRIGHT

- K5.6 = SIN R1025
- K7.96 = SIN R1026 (17/32"x1/2")
- K8.2 = SIN R1027
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R1025					
5113113299	GU0B	135°F	57°C	Brass	\$ 43.26
5113213299	GU0C	135°F	57°C	Chrome	\$ 51.46
5113873299	GU0W	135°F	57°C	White	\$ 57.61
5116113299	GU1B	165°F	74°C	Brass	\$ 43.26
5116213299	GU1C	165°F	74°C	Chrome	\$ 51.46
5116873299	GU1W	165°F	74°C	Poly White	\$ 57.61
5121113299	GU2B	212°F	100°C	Brass	\$ 43.26
5121213299	GU2C	212°F	100°C	Chrome	\$ 51.46
5121873299	GU2W	212°F	100°C	White	\$ 57.61
5128113299	GU3B	286°F	141°C	Brass	\$ 43.26
5128213299	GU3C	286°F	141°C	Chrome	\$ 51.46
5128873299	GU3W	286°F	141°C	White	\$ 57.61
MODEL G UPRIGHT K8.2 (115) THREADS 3/4" (20MM) R1027					
5113113498	GU0LB	135°F	57°C	Brass	\$ 51.90
5113213498	GU0LC	135°F	57°C	Chrome	\$ 62.35
5116113498	GU1LB	165°F	74°C	Brass	\$ 51.90
5116213498	GU1LC	165°F	74°C	Chrome	\$ 62.35
5121113498	GU2LB	212°F	100°C	Brass	\$ 51.90
5121213498	GU2LC	212°F	100°C	Chrome	\$ 62.35
5128113498	GU3LB	286°F	141°C	Brass	\$ 51.90
5128213498	GU3LC	286°F	141°C	Chrome	\$ 62.35
MODEL G UPRIGHT K8.0 (115) THREADS 1/2" (15MM) R1026					
5113113499	GU0LHB	135°F	57°C	Brass	\$ 66.65
5113213499	GU0LHC	135°F	57°C	Chrome	\$ 76.32
5116113499	GU1LHB	165°F	74°C	Brass	\$ 66.65
5116213499	GU1LHC	165°F	74°C	Chrome	\$ 76.32
5121113499	GU2LHB	212°F	100°C	Brass	\$ 66.65
5121213499	GU2LHC	212°F	100°C	Chrome	\$ 76.32
5128113499	GU3LHB	286°F	141°C	Brass	\$ 66.65
5128213499	GU3LHC	286°F	141°C	Chrome	\$ 76.32
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53



G UPRIGHT

- K2.82 = SIN R1021
- K4.24 = SIN R1023
- K4.10 = SIN R1024
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R1021					
5113112499	GU03B	135°F	57°C	Brass	\$ 60.31
5113212499	GU03C	135°F	57°C	Chrome	\$ 69.99
5116112499	GU13B	165°F	74°C	Brass	\$ 60.31
5116212499	GU13C	165°F	74°C	Chrome	\$ 69.99
5121112499	GU23B	212°F	100°C	Brass	\$ 60.31
5121212499	GU23C	212°F	100°C	Chrome	\$ 69.99
5128112499	GU33B	286°F	141°C	Brass	\$ 60.31
5128212499	GU33C	286°F	141°C	Chrome	\$ 69.99
MODEL G UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R1023					
5113112899	GU07B	135°F	57°C	Brass	\$ 60.31
5113212899	GU07C	135°F	57°C	Chrome	\$ 69.99
5116112899	GU17B	165°F	74°C	Brass	\$ 60.31
5116212899	GU17C	165°F	74°C	Chrome	\$ 69.99
5121112899	GU27B	212°F	100°C	Brass	\$ 60.31
5128112899	GU37B	286°F	141°C	Brass	\$ 60.31
5128212899	GU37C	286°F	141°C	Chrome	\$ 69.99

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	\$ 122.53
------------	-----	--------------------------------	-----------



G PENDENT

- K5.6 = SIN R1015
- K8.2 = SIN R1017
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G PENDENT K5.6 (80) THREADS 1/2" (15MM) R1015					
5213113299	GP0B	135°F	57°C	Brass	\$ 43.26
5213213299	GP0C	135°F	57°C	Chrome	\$ 50.12
5213873299	GP0W	135°F	57°C	White	\$ 57.61
5216113299	GP1B	165°F	74°C	Brass	\$ 43.26
5216213299	GP1C	165°F	74°C	Chrome	\$ 50.12
5216873299	GP1W	165°F	74°C	Poly White	\$ 57.61
5221113299	GP2B	212°F	100°C	Brass	\$ 43.26
5221213299	GP2C	212°F	100°C	Chrome	\$ 50.12
5221873299	GP2W	212°F	100°C	White	\$ 57.61
5228113299	GP3B	286°F	141°C	Brass	\$ 43.26
5228213299	GP3C	286°F	141°C	Chrome	\$ 50.12
5228873299	GP3W	286°F	141°C	White	\$ 57.61
MODEL G PENDENT K8.0 (115) THREADS 3/4" (20MM) R1017					
5213113498	GP0LB	135°F	57°C	Brass	\$ 53.31
5213213498	GP0LC	135°F	57°C	Chrome	\$ 62.35
5216113498	GP1LB	165°F	74°C	Brass	\$ 53.31
5216213498	GP1LC	165°F	74°C	Chrome	\$ 62.35
5221113498	GP2LB	212°F	100°C	Brass	\$ 53.31
5221213498	GP2LC	212°F	100°C	Chrome	\$ 62.35
5228113498	GP3LB	286°F	141°C	Brass	\$ 53.31
5228213498	GP3LC	286°F	141°C	Chrome	\$ 62.35
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
6801030000	GF1LB	3/4" (20mm)		Brass	\$ 22.89
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 12.35
6801040000	GF1LW	3/4" (20mm)		White	\$ 12.35
6800930000	GF1MB	10mm		Brass	\$ 22.87
6800900000	GF1MC	10mm		Chrome	\$ 12.18
6800940003	GF1MW	10mm		Poly White	\$ 12.18

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 122.53
6880100000	WRC	For Recessed Use RC1 Wrench	\$ 370.47



G PENDENT

- K7.96 = SIN R1016
- K2.82 = SIN R1011
- K4.24 = SIN R1013
- K4.10 = SIN R1014
- See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G PENDENT K2.8 (40) THREADS 1/2" (15MM) R1011					
5213112499	GP03B	135°F	57°C	Brass	\$ 60.31
5213212499	GP03C	135°F	57°C	Chrome	\$ 69.99
5216112499	GP13B	165°F	74°C	Brass	\$ 60.31
5216212499	GP13C	165°F	74°C	Chrome	\$ 69.99
5221112499	GP23B	212°F	100°C	Brass	\$ 60.31
5221212499	GP23C	212°F	100°C	Chrome	\$ 69.99
5228112499	GP33B	286°F	141°C	Brass	\$ 60.31
5228212499	GP33C	286°F	141°C	Chrome	\$ 69.99
MODEL G PENDENT K4.2 (60) THREADS 1/2" (15MM) R1013					
5213112899	GP07B	135°F	57°C	Brass	\$ 60.31
5213212899	GP07C	135°F	57°C	Chrome	\$ 69.99
5216112899	GP17B	165°F	74°C	Brass	\$ 60.31
5216212899	GP17C	165°F	74°C	Chrome	\$ 69.99
5221112899	GP27B	212°F	100°C	Brass	\$ 60.31
5221212899	GP27C	212°F	100°C	Chrome	\$ 69.99
5228112899	GP37B	286°F	141°C	Brass	\$ 60.31
5228212899	GP37C	286°F	141°C	Chrome	\$ 69.99

6880050100	WW2	Wrench, W2, Pendent, Upright, HSW		\$	122.53
6880100000	WRC	For Recessed, Use Model RC1 Wrench		\$	370.47



- G**
- K4.10 = SIN R1074
 - K5.62 = SIN R1075
 - K8.2 = SIN R1077
 - See Bulletin 110

Part Number	Short Code	Temperature		Finish	List Price
MODEL G CONVENTIONAL K4.2 (60) THREADS 1/2" (15MM) R1074					
5313113299	GC0B	135°F	57°C	Brass	\$ 40.63
5313213299	GC0C	135°F	57°C	Chrome	\$ 48.32
5313873299	GC0W	135°F	57°C	White	\$ 54.60
5316113299	GC1B	165°F	74°C	Brass	\$ 40.63
5316213299	GC1C	165°F	74°C	Chrome	\$ 48.32
5316873299	GC1W	165°F	74°C	White	\$ 54.60
5321113299	GC2B	212°F	100°C	Brass	\$ 40.63
5321213299	GC2C	212°F	100°C	Chrome	\$ 48.32
5321873299	GC2W	212°F	100°C	White	\$ 54.60
5328113299	GC3B	286°F	141°C	Brass	\$ 40.63
5328213299	GC3C	286°F	141°C	Chrome	\$ 48.32
5328873299	GC3W	286°F	141°C	White	\$ 54.60
MODEL G CONVENTIONAL K5.6 (80) THREADS 3/4" (20MM) R1075					
5313113495	GC0LB	135°F	57°C	Brass	\$ 51.43
5313213495	GC0LC	135°F	57°C	Chrome	\$ 62.93
5316113495	GC1LB	165°F	74°C	Brass	\$ 51.43
5316213495	GC1LC	165°F	74°C	Chrome	\$ 62.93
5328213498	GC3LC	286°F	141°C	Chrome	\$ 62.93
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53



GVSW

- K-Factor = 5.6 (80)
- **SIN R1285**
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
MODEL G VERTICAL K5.6 (80) THREADS 1/2" (15MM) R1285					
5413113292	GV0B	135°F	57°C	Brass	\$ 63.82
5413213292	GV0C	135°F	57°C	Chrome	\$ 72.19
5416113292	GV1B	165°F	74°C	Brass	\$ 63.82
5416213292	GV1C	165°F	74°C	Chrome	\$ 72.19
5421113292	GV2B	212°F	100°C	Brass	\$ 63.82
5421213292	GV2C	212°F	100°C	Chrome	\$ 72.19
5428113292	GV3B	286°F	141°C	Brass	\$ 63.82
5428213292	GV3C	286°F	141°C	Chrome	\$ 72.19


6880050100	WW2	Wrench, W2, Pendent, Upright, HSW	\$ 122.53
------------	-----	-----------------------------------	-----------



G HSW

- K5.6 = SIN R1235
- K8.0 w 3/4"NPT = SIN R1237
- K8.0 w 1/2"NPT = SIN R1236
- See Bulletin 112


Part Number	Short Code	Temperature		Finish	List Price
MODEL G HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R1235					
5413113299	GH0B	135°F	57°C	Brass	\$ 61.23
5413213299	GH0C	135°F	57°C	Chrome	\$ 69.25
5416113299	GH1B	165°F	74°C	Brass	\$ 61.23
5416213299	GH1C	165°F	74°C	Chrome	\$ 69.25
5421113299	GH2B	212°F	100°C	Brass	\$ 61.23
5421213299	GH2C	212°F	100°C	Chrome	\$ 69.25
5428113299	GH3B	286°F	141°C	Brass	\$ 61.23
5428213299	GH3C	286°F	141°C	Chrome	\$ 69.25
MODEL G HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R1237					
5413113498	GH0LB	135°F	57°C	Brass	\$ 70.40
5413213498	GH0LC	135°F	57°C	Chrome	\$ 77.90
5416113498	GH1LB	165°F	74°C	Brass	\$ 70.40
5416213498	GH1LC	165°F	74°C	Chrome	\$ 77.90
5421113498	GH2LB	212°F	100°C	Brass	\$ 70.40
5421213498	GH2LC	212°F	100°C	Chrome	\$ 77.90
5428113498	GH3LB	286°F	141°C	Brass	\$ 70.40
5428213498	GH3LC	286°F	141°C	Chrome	\$ 77.90
MODEL G HORIZONTAL K8.0 (115) THREADS 1/2" (15MM) 1236					
5413113499	GH0LHB	135°F	57°C	Brass	\$ 84.10
5413213499	GH0LHC	135°F	57°C	Chrome	\$ 91.53
5416113499	GH1LHB	165°F	74°C	Brass	\$ 84.10
5416213499	GH1LHC	165°F	74°C	Chrome	\$ 91.53
5421113499	GH2LHB	212°F	100°C	Brass	\$ 84.10
5421213499	GH2LHC	212°F	100°C	Chrome	\$ 91.53
5428113499	GH3LHB	286°F	141°C	Brass	\$ 84.10
5428213499	GH3LHC	286°F	141°C	Chrome	\$ 91.53
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
6801030000	GF1LB	3/4" (20mm)		Brass	\$ 22.89
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 12.35
6801040000	GF1LW	3/4" (20mm)		White	\$ 12.35
6800930000	GF1MB	10mm		Brass	\$ 22.87
6800900000	GF1MC	10mm		Chrome	\$ 12.18
6800940003	GF1MW	10mm		Poly White	\$ 12.18
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47



G HSW

- K2.8 = SIN R1231
- K4.2 = SIN R1233
- See Bulletin 112

Part Number	Short Code	Temperature		Finish	List Price
MODEL G HORIZONTAL K2.8 (40) THREADS 1/2" (15MM) R1231					
5413112499	GH03B	135°F	57°C	Brass	\$ 77.90
5413212499	GH03C	135°F	57°C	Chrome	\$ 85.00
5416112499	GH13B	165°F	74°C	Brass	\$ 77.90
5416212499	GH13C	165°F	74°C	Chrome	\$ 85.00
5421112499	GH23B	212°F	100°C	Brass	\$ 77.90
5421212499	GH23C	212°F	100°C	Chrome	\$ 85.00
5428112499	GH33B	286°F	141°C	Brass	\$ 77.90
5428212499	GH33C	286°F	141°C	Chrome	\$ 85.00
MODEL G HORIZONTAL K4.2 (60) THREADS 1/2" (15MM) R1233					
5413112899	GH07B	135°F	57°C	Brass	\$ 77.90
5413212899	GH07C	135°F	57°C	Chrome	\$ 85.00
5416112899	GH17B	165°F	74°C	Brass	\$ 77.90
5416212899	GH17C	165°F	74°C	Chrome	\$ 85.00
5421112899	GH27B	212°F	100°C	Brass	\$ 77.90
5421212899	GH27C	212°F	100°C	Chrome	\$ 85.00
5428112899	GH37B	286°F	141°C	Brass	\$ 77.90
5428212899	GH37C	286°F	141°C	Chrome	\$ 85.00
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Brass	\$ 22.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 12.35
6800640001	GF1W	1/2" (15mm)		White	\$ 12.35
6801030000	GF1LB	3/4" (20mm)		Brass	\$ 22.89
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 12.35
6801040000	GF1LW	3/4" (20mm)		White	\$ 12.35
6800930000	GF1MB	10mm		Brass	\$ 22.87
6800900000	GF1MC	10mm		Chrome	\$ 12.18
6800940003	GF1MW	10mm		Poly White	\$ 12.18
6880050100	WW2	Wrench, W2, Pendent, Upright, HSW			\$ 122.53
6880100120	WW4	Wrench, W4, Recessed, Concealed			\$ 370.47



G RECESSED

Non-Adjustable -

- K2.8 = SIN R1011
- K4.2 = SIN R1013
- K5.6 = SIN R1015
- K8.0 = SIN R1016
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
MODEL G RECESSED K5.6 (80) THREADS 1/2" (15MM) R1015					
5513343270	GR0B	135°F	57°C	W/O	\$ 64.80
5513323270	GR0C	135°F	57°C	W/O	\$ 58.80
5513463270	GR0W	135°F	57°C	Poly White	\$ 64.80
5516343270	GR1B	165°F	74°C	Brass	\$ 64.80
5516323270	GR1C	165°F	74°C	Chrome	\$ 58.80
5516463270	GR1W	165°F	74°C	Poly White	\$ 64.80
5521343270	GR2B	212°F	100°C	W/O	\$ 64.80
5521323270	GR2C	212°F	100°C	Chrome	\$ 58.80
5521463270	GR2W	212°F	100°C	W/O	\$ 64.80
MODEL G RECESSED K8.0 (115) THREADS 1/2" (15MM) R1016					
5513343470	GR0LHB	135°F	57°C	W/O	\$ 78.72
5513323470	GR0LHC	135°F	57°C	W/O	\$ 76.52
5516343470	GR1LHB	165°F	74°C	Brass	\$ 78.72
5516323470	GR1LHC	165°F	74°C	Chrome	\$ 76.52
5521343470	GR2LHB	212°F	100°C	W/O	\$ 78.72
5521323470	GR2LHC	212°F	100°C	Chrome	\$ 76.52
MODEL G RECESSED K2.8 (40) THREADS 1/2" (15MM) R1011					
5513342470	GR03B	135°F	57°C	W/O	\$ 88.22
5513322470	GR03C	135°F	57°C	W/O	\$ 83.71
5516342470	GR13B	165°F	74°C	Brass	\$ 88.22
5516322470	GR13C	165°F	74°C	Chrome	\$ 83.71
5521342470	GR23B	212°F	100°C	W/O	\$ 88.22
5521322470	GR23C	212°F	100°C	Chrome	\$ 83.71
MODEL G RECESSED ESCUTCHEONS					
6801361101	GRB	Threaded		Brass	\$ 35.92
6801362101	GRC	Threaded		Chrome	\$ 18.79
6801367201	GRW	Threaded		White	\$ 18.79
6801369001	GRSP	Threaded		Specialty	\$ 46.19
6880100000	WRC	Requires Model RC1 Sprinkler Wrench			\$ 370.47

Notes:

Sprinklers and Escutcheons sold and packaged separately



G (CONT.)

- K4.2 = SIN R1013
- K5.6 1" M AND 1" F SIN R1118
- See Bulletin 111

Part Number	Short Code	Temperature		Finish	List Price
MODEL G RECESSED K4.2 (40) THREADS 1/2" (15MM) R1013					
5513342870	GR07B	135°F	57°C	W/O	\$ 88.22
5513322870	GR07C	135°F	57°C	W/O	\$ 83.71
5516342870	GR17B	165°F	74°C	Brass	\$ 88.22
5516322870	GR17C	165°F	74°C	Chrome	\$ 83.71
5521342870	GR27B	212°F	100°C	W/O	\$ 88.22
5521322870	GR27C	212°F	100°C	Chrome	\$ 83.71
MODEL G RECESSED ESCUTCHEONS					
6801361101	GRB	Threaded		Brass	\$ 35.92
6801362101	GRC	Threaded		Chrome	\$ 18.79
6801367201	GRW	Threaded		White	\$ 18.79
6801369001	GRSP	Threaded		Specialty	\$ 46.19

6880100000 WRC For Recessed Use Model RC1 Wrench \$ 370.47

Notes:

Sprinklers and Escutcheons sold and packaged separately



G4 CONCEALED

- K2.8 = SIN R2111
- K4.2 = SIN R2113
- K5.6 = SIN R2115
- See Bulletin 121

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R2115					
5713173299	G40	135°F	57°C	W/O	\$ 64.00
5716173299	G41	165°F	74°C	W/O	\$ 62.10
5721173299	G42	212°F	100°C	W/O	\$ 64.00
MODEL G4 CONCEALED K2.8 (40) THREADS 1/2" (15MM) R2111					
5713172499	G403	135°F	57°C	W/O	\$ 67.66
5716172499	G413	165°F	74°C	W/O	\$ 67.66
5721172499	G423	212°F	100°C	W/O	\$ 67.66
MODEL G4 CONCEALED K4.2 (60) THREADS 1/2" (15MM) R2113					
5713172899	G407	135°F	57°C	W/O	\$ 67.66
5716172899	G417	165°F	74°C	W/O	\$ 67.66
5721172899	G427	212°F	100°C	W/O	\$ 67.66
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	\$ 47.52
6887271372	CG50W	135°F	57°C	White	\$ 43.31
6887271390	CG50SP	135°F	57°C	Specialty	\$ 59.06
6887271374	CG50OW	135°F	57°C	Off-White	\$ 58.91
6887271316	CG50FB	135°F	57°C	Black Painted	\$ 58.98
6887271305	CG50BB	135°F	57°C	Bright Brass	\$ 72.07
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$ 72.07
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$ 72.07
6887271311	CG50B	135°F	57°C	Finished Bronze	\$ 59.54
6887271319	CG50EW	135°F	57°C	Euro White	\$ 43.31
6887271621	CG51C	165°F	74°C	Chrome	\$ 47.52
6887271672	CG51W	165°F	74°C	White	\$ 43.31
6887271690	CG51SP	165°F	74°C	Specialty	\$ 59.06
6887271674	CG51OW	165°F	74°C	Off-White	\$ 58.91
6887271690	CG51SP	165°F	74°C	Specialty	\$ 59.06
6887271616	CG51FB	165°F	74°C	Black Painted	\$ 58.98
6887271605	CG51BB	165°F	74°C	Bright Brass	\$ 72.07
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$ 72.07
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$ 72.07
6887271619	CG51EW	165°F	74°C	Euro White	\$ 43.31

6880170000 WG4 Requires Model G4 Sprinkler Wrench \$ 369.03

Notes:

Sprinklers and coverplates sold and packaged separately



G4 -11CONCEALED

- K11.2 = SIN R101
- See Bulletin 086

Part Number	Short Code	Temperature	Finish	List Price
MODEL G4 -11 CONCEALED K11.2 (160) THREADS 3/4" R101				
1716173698		165°F 74°C	W/O	\$ 136.00
1721173698		212°F 100°C	W/O	\$ 136.00
MODEL G5 SR GASKET COVER PLATES				
6887031372	CG4S0W	135°F 57°C	White	\$ 110.77
6887031672	CG4S1W	165°F 74°C	White	\$ 110.77
MODEL G5 QR GASKET COVER PLATES				
6887201372	CG5S0W	135°F 57°C	White	\$ 110.77
6887201672	CG5S1W	165°F 74°C	White	\$ 110.77
MODEL G5 COVER PLATES				
6887271321	CG50C	135°F 57°C	Chrome	\$ 47.52
6887271372	CG50W	135°F 57°C	White	\$ 43.31
6887271390	CG50SP	135°F 57°C	Specialty	\$ 59.06
6887271374	CG50OW	135°F 57°C	Off-White	\$ 58.91
6887271316	CG50FB	135°F 57°C	Black Painted	\$ 58.98
6887271305	CG50BB	135°F 57°C	Bright Brass	\$ 72.07
6887271323	CG50CD	135°F 57°C	Satin Chrome	\$ 72.07
6887271310	CG50SS	135°F 57°C	Stainless Steel	\$ 72.07
6887271311	CG50B	135°F 57°C	Finished Bronze	\$ 59.54
6887271319	CG50EW	135°F 57°C	Euro White	\$ 43.31
6887271621	CG51C	165°F 74°C	Chrome	\$ 47.52
6887271672	CG51W	165°F 74°C	White	\$ 43.31
6887271690	CG51SP	165°F 74°C	Specialty	\$ 59.06
6887271674	CG51OW	165°F 74°C	Off-White	\$ 58.91
6887271690	CG51SP	165°F 74°C	Specialty	\$ 59.06
6887271616	CG51FB	165°F 74°C	Black Painted	\$ 58.98
6887271605	CG51BB	165°F 74°C	Bright Brass	\$ 72.07
6887271623	CG51CD	165°F 74°C	Satin Chrome	\$ 72.07
6887271610	CG51SS	165°F 74°C	Stainless Steel	\$ 72.07
6887271619	CG51EW	165°F 74°C	Euro White	\$ 43.31
6880170000	WG4	Requires Model G4 Sprinkler Wrench		\$ 369.03

Notes:
 Sprinklers and coverplates sold and packaged separately



**G4-300
 CONCEALED**

- K-Factor = 5.6 (80)
- **SIN R6115**
- See Bulletin 161

Sprinkler	Coverplate
135°F/57°C	135°F/57°C
165°F/74°C	165°F/74°C
212°F/100°C	165°F/74°C

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4 - 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) R6115					
57A1173299	G40300	135°F	57°C	W/O	\$ 66.31
57A2173299	G41300	165°F	74°C	W/O	\$ 66.31
57A6173299	G42300	212°F	100°C	W/O	\$ 66.31
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	\$ 47.52
6887271372	CG50W	135°F	57°C	White	\$ 43.31
6887271311	CG50B	135°F	57°C	Finished Bronze	\$ 59.54
6887271374	CG50OW	135°F	57°C	Off-White	\$ 58.91
6887271390	CG50SP	135°F	57°C	Specialty	\$ 59.06
6887271316	CG50FB	135°F	57°C	Black Painted	\$ 58.98
6887271305	CG50BB	135°F	57°C	Bright Brass	\$ 72.07
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$ 72.07
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$ 72.07
6887271319	CG50EW	135°F	57°C	Euro White	\$ 43.31
6887271621	CG51C	165°F	74°C	Chrome	\$ 47.52
6887271672	CG51W	165°F	74°C	White	\$ 43.31
6887271611	CG51B	165°F	74°C	Finished Bronze	\$ 59.54
6887271674	CG51OW	165°F	74°C	Off-White	\$ 58.91
6887271690	CG51SP	165°F	74°C	Specialty	\$ 59.06
6887271616	CG51FB	165°F	74°C	Black Painted	\$ 58.98
6887271605	CG51BB	165°F	74°C	Bright Brass	\$ 72.07
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$ 72.07
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$ 72.07
6887271619	CG51EW	165°F	74°C	Euro White	\$ 43.31

6880170000 WG4 Requires Model G4 Sprinkler Wrench \$ 369.03

Notes:
 Sprinklers and coverplates sold and packaged separately



G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417					
1916173497	G5801BFM	165°F	74°C	W/O	\$ 88.00
1921173497	G5802BFM	212°F	100°C	W/O	\$ 88.00
MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417					
1916173494	G5801MFM	165°F	74°C	W/O	\$ 88.00
1921173494	G5802MFM	212°F	100°C	W/O	\$ 88.00
MODEL G5 COVERPLATES					
6887271321	CG50C	135°F	57°C	Chrome	\$ 47.52
6887271372	CG50W	135°F	57°C	White	\$ 43.31
6887271311	CG50B	135°F	57°C	Finished Bronze	\$ 59.54
6887271374	CG50OW	135°F	57°C	Off-White	\$ 58.91
6887271390	CG50SP	135°F	57°C	Specialty	\$ 59.06
6887271316	CG50FB	135°F	57°C	Black Painted	\$ 58.98
6887271305	CG50BB	135°F	57°C	Bright Brass	\$ 72.07
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$ 72.07
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$ 72.07
6887271319	CG50EW	135°F	57°C	Euro White	\$ 43.31
6887271621	CG51C	165°F	74°C	Chrome	\$ 47.52
6887271672	CG51W	165°F	74°C	White	\$ 43.31
6887271611	CG51B	165°F	74°C	Finished Bronze	\$ 59.54
6887271674	CG51OW	165°F	74°C	Off-White	\$ 58.91
6887271690	CG51SP	165°F	74°C	Specialty	\$ 59.06
6887271616	CG51FB	165°F	74°C	Black Painted	\$ 58.98
6887271605	CG51BB	165°F	74°C	Bright Brass	\$ 72.07
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$ 72.07
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$ 72.07
6887271619	CG51EW	165°F	74°C	Euro White	\$ 43.31

6880170020	WFC	WRENCH,FC,CONCEALED	\$ 372.45
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	\$ 372.45

Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



G5-80 SR "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

G5-80F "Sealing" Concealed

- K-Factor = 8.0 (115)
- **SIN RA3417**
- See Bulletin 034

G5-56 SR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

G5-42 SR "Sealing" Concealed

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

G5-28 SR "Sealing" Concealed

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature	Finish	List Price
MODEL G5-80 SR SEALING CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412				
1916173498	G5801B	165°F 74°C	W/O	\$ 83.42
1921173498	G5802B	212°F 100°C	W/O	\$ 83.42
MODEL G5-80F SEALING CONCEALED K8.0 (115) 3/4" (20MM) RA3417				
1916173497	G5801BFM	165°F 74°C	W/O	\$ 88.00
1921173497	G5802BFM	212°F 100°C	W/O	\$ 88.00
MODEL G5-80F SEALING CONCEALED K8.0 (115) BSPT 3/4" (20MM) RA3417				
1916173494	G5801MFM	165°F 74°C	W/O	\$ 88.00
1921173494	G5802MFM	212°F 100°C	W/O	\$ 88.00
MODEL G5-56 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415				
1916173299	G51B	165°F 74°C	W/O	\$ 67.27
1921173299	G52B	212°F 100°C	W/O	\$ 67.27
MODEL G5-42 SR SEALING CONCEALED K4.2 (60) THREADS 1/2" RA3413				
1916172899	G5421B	165°F 74°C	W/O	\$ 83.42
1921172899	G5422B	212°F 100°C	W/O	\$ 83.42
MODEL G5-28 SR SEALING CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411				
1916172499	G5281B	165°F 74°C	W/O	\$ 83.42
1921172499	G5282B	212°F 100°C	W/O	\$ 83.42
MODEL G5 SEALING CONCEALED COVER PLATES				
6887031372	CG4S0W	135°F 57°C	White	\$ 110.77
6887031672	CG4S1W	165°F 74°C	White	\$ 110.77
6887031310	CG4S0SS	135°F 57°C	Stainless Steel	\$ 115.32
6887031610	CG4S1SS	165°F 74°C	Stainless Steel	\$ 115.32

6880170020	WFC	Requires Model FC Wrench	\$ 372.45
------------	-----	--------------------------	-----------

Notes:

Sprinklers and coverplates sold and packaged separately



**G5-56 300 SR
 "Sealing"
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
MODEL G5-56 300 SR SEALING CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014					
2016173299	G51B3	165°F	74°C	W/O	\$ 71.09
MODEL G5 SEALING CONCEALED COVER PLATE					
6887031372	CG4S0W	135°F	57°C	White	\$ 110.77
6887031672	CG4S1W	165°F	74°C	White	\$ 110.77
6887031310	CG4S0SS	135°F	57°C	Stainless Steel	\$ 115.32
6887031610	CG4S1SS	165°F	74°C	Stainless Steel	\$ 115.32
6880170020	WFC	Requires Model FC Wrench			\$ 372.45

Notes:
 Sprinklers and coverplates sold and packaged separately